

## ARROW HAEMODYNAMIC MONITORING

Reliability counts




# STANDARD PERCUTANEOUS SHEATH INTRODUCERS (PSI)

FOR PULMONARY ARTERY AND CENTRAL VENOUS ACCESS

Our single-lumen percutaneous sheaths allow simple placement and safe insertion via a guidewire (according to Seldinger). The sheath is made of polyurethane, which becomes softer in situ. In the event that the insertion of a catheter via the sheath is delayed, the haemostasis valve and the locking obturator prevent back bleeding and reduce the risk of air embolisms.

The flexible part of the sheath on the haemostasis valve has been developed to prevent kinking, e.g. when inserting a pulmonary artery catheter.

It also ensures optimum hold, even if the patient moves. The Cath-Gard catheter protection shield, on the other hand, helps allow the catheter to be manipulated at any time without the risk of contamination.



## SINGLE-LUMEN PERCUTANEOUS SHEATHS

REF.	SHEATH				GUIDEWIRE					INSERTION NEEDLE		
	Ø FR	LENGTH CM	MATERIAL	FOR CATHETER SIZE (FR)	LENGTH CM	Ø MM (INCH)	TIP	MARKING	NOTE	LENGTH (CM)	Ø GAUGES	ADDITIONAL INSERTION NEEDLES
CI-09600	6	10	FEP <sup>2</sup>	4-6	45	0.89 (.035")	J tip / straight	x	with Arrow Advancer	6.35	18 <sup>1</sup>	
SI-09600	6	10	PUR <sup>2</sup>	4-6	45	0.89 (.035")	J tip / straight			6.35	18 <sup>1</sup>	
IK-09600	6	10	FEP <sup>2</sup>	4-6	45	0.89 (.035")	J tip / straight	x	with Arrow Advancer	6.35	18 <sup>1</sup>	1 x injection needle 1 x injection needle
MS-09600	6	10	FEP <sup>2</sup>	4-6	45	0.89 (.035")	J tip / straight	x	with Arrow Advancer	6.35	18 <sup>1</sup>	1 x injection needle
SI-09700	7	10	PUR <sup>2</sup>	7	45	0.89 (.035")	J tip / straight			6.35	18 <sup>1</sup>	
CI-09803	8	10	PUR <sup>2</sup>	7-7.5	45	0.89 (.035")	J tip / straight			6.35	18 <sup>1</sup>	Insertion needle 22 G via needle
SI-09808	8	10	PUR <sup>2</sup>	7-7.5	45	0.89 (.035")	J tip / straight			6.35	18 <sup>1</sup>	
AD-09801	8.5	7	PUR <sup>2</sup>	7-7.5	45	0.89 (.035")	J tip / straight	x	with Arrow Advancer	6.35	18 <sup>1</sup>	
CI-09800	8.5	10	PUR <sup>2</sup>	7-7.5	45	0.89 (.035")	J tip / straight			6.35	18 <sup>1</sup>	
SI-09803-CV	8.5	10	PUR <sup>2</sup>	7-7.5	45	0.89 (.035")	J tip / straight			6.35	18 <sup>1</sup>	
SI-09806	8.5	10	PUR <sup>2</sup>	7-7.5	45	0.64 (.025")	J tip / straight	x	with Arrow Advancer	6.35	18 <sup>1</sup>	Insertion needle 22 G via needle 1 x insertion needle
SI-09870-E	8.5	10	PUR <sup>2</sup>	7-7.5	45	0.89 (.035")	J tip / straight	x	with Arrow Advancer	6.35	18 <sup>1</sup>	
SI-09875-E	8.5	10	PUR <sup>2</sup>	7-7.5	45	0.89 (.035")	J tip / straight	x	with Arrow Advancer	6.35	18 <sup>1</sup>	
SI-09875-ESB	8.5	10	PUR <sup>2</sup>	7-7.5	45	0.89 (.035")	J tip / straight	x	with Arrow Advancer	6.35	18 <sup>1</sup>	
SI-09880	8.5	10	PUR <sup>2</sup>	7-7.5	45	0.89 (.035")	J tip / straight			6.35	18 <sup>1</sup>	
SI-09880-LF	8.5	10	PUR <sup>2</sup>	7-7.5	45	0.89 (.035")	J tip / straight			6.35	18 <sup>1</sup>	
SI-09880-SB	8.5	10	PUR <sup>2</sup>	7-7.5	45	0.89 (.035")	J tip / straight			6.35	18 <sup>1</sup>	
SI-09880-SE	8.5	10	PUR <sup>2</sup>	7-7.5	45	0.89 (.035")	J tip / straight	x	with Arrow Advancer	6.35	18 <sup>1</sup>	
SI-09903-E	9	10	PUR <sup>2</sup>	7.5-8	45	0.89 (.035")	J tip / straight	x	with Arrow Advancer	6.35	18 <sup>1</sup>	
SU-09903-C	9	10	PUR <sup>2</sup>	7.5-8	45	0.89 (.035")	J tip / straight	x	with Arrow Advancer	6.35	18 <sup>1</sup>	
UB-09903-C	9	10	PUR <sup>2</sup>	7.5-8	45	0.89 (.035")	J tip / straight	x	with Arrow Advancer	6.35	18 <sup>1</sup>	
AD-09903	9	10	PUR <sup>2</sup>	7.5-8	45	0.89 (.035")	J tip / straight	x	with Arrow Advancer	6.35	18 <sup>1</sup>	
AD-09903-S	9	10	PUR <sup>2</sup>	7.5-8						6.35	18 <sup>1</sup>	
BR-09903-S	9	10	PUR <sup>2</sup>	7.5-8	45	0.89 (.035")	J tip / straight			6.35	18 <sup>1</sup>	1 x injection needle 1 x injection needle
SI-09903-AG	9	10	PUR AGB <sup>2</sup>	7.5-8	45	0.89 (.035")	J tip / straight	x	with Arrow Advancer	6.35	18 <sup>1</sup>	

## COMPANION PRODUCTS FOR PSI

SLIC® – SINGLE LUMEN INFUSION CATHETER		
REF.	CATHETER LENGTH	QTY
SC-14701	20 cm (8")	25
SS-14701	16 cm (6")	25

ACCESSORIES				SETS/ CASE
CONTAMINATION PROTECTION		OBTURATOR 8 FR.	ACCESSORIES	
		x		10
				10
22 G/3.81 cm 25 G/2.54 cm	Cath-Gard 80 cm with TwistLock Adapter	x	1 x syringe 5 cc (Luer Slip), 2 x syringes 3 cc (Luer Lock), 1 x syringe, 10 cc (Luer Lock), 1 x wrapping cloth, 1 x crocodile clip, 1 x surgical drape (61 cm x 91 cm) with 10 cm windows, 3 x gauze strips, 10 cm x 10 cm, 1 x four-way valve, 1 x 3-0 silk suture with straight needle	10
22 G/3.8 cm		x	1 x syringe 5 cc (Luer Slip), 1 x syringe 3 cc (Luer Slip), 1 x syringe 10 cc (Luer Slip), 1 x wrapping cloth, 1 x sterile cloth (120 cm x 150 cm) with 7.5 cm x 5 cm windowing with adhesive plaster, 8 x gauze sponges (7.5 cm x 7.5 cm), 1 x scalpel:# 11, 1 x four-way shut-off valve , 1 x closure cap unvented	5
	Cath-Gard 30 cm	x	4 x gauze pads	10
20 G <sup>3</sup> /6.35 cm				10
	Cath-Gard 80 cm	x	4 x gauze pads	10
	Cath-Gard 80 cm	x	1 x Arrow-Raulerson syringe 5 ml, 1 x closure cap unvented, 1 x scalpel no. 11, 1 x four-way high-flow valve, 1 x 3-0 silk suture, straight needle	10
				10
	Cath-Gard 80 cm	x	1 tape	10
20 G <sup>3</sup> /6.35 cm 20 G <sup>1</sup> /3.81 cm	Cath-Gard 80 cm	x	1 x pressure transducer, 1 x Raulerson syringe 5 ml, 4 x gauze pads	10
20 G <sup>3</sup> /6.35 cm	Cath-Gard 80 cm	x	1 x pressure transducer, 1 x Raulerson syringe 5 ml, 4 x gauze pads	10
	Cath-Gard 80 cm	x	1 x pressure transducer, 1 x Raulerson syringe 5 ml, 4 x gauze pads	10
	Cath-Gard 80 cm	x	1 x pressure transducer, 1 x Raulerson syringe 5 ml, 4 x gauze pads	10
	Cath-Gard 80 cm	x	4 x gauze pads	10
	Cath-Gard 80 cm with TwistLock Adapter	x	3 x gauze pads 4" x 4"	10
	Cath-Gard 80 cm	x	3 x gauze pads 4" x 4"	10
	Cath-Gard 80 cm	x	1 x pressure transducer, 1 x Raulerson syringe 5 ml, 3 x gauze pads 4" x 4"	10
	Cath-Gard 80 cm with TwistLock Adapter	x	1 x pressure transducer, 1 x Raulerson syringe 5 ml, 3 x gauze pads 4" x 4" 1 x closure cap unvented	10
	Cath-Gard 80 cm with TwistLock Adapter	x	1 x syringe 5 ml (Luer Slip), 1 x closure cap unvented, 1 x wrapping cloth, 1 x sterile cloth: 75 cm x 90 cm with 10 cm windowing, with adhesive plaster, 5 x gauze strips 5 cm x 5 cm, 1 x scalpel no. 11, 1 x four-way high-flow valve, 1 x incision film	5
	Cath-Gard 80 cm with TwistLock Adapter	x	1 x Arrow-Raulerson syringe 5 ml, 1 x pressure transducer, 1 x closure cap unvented, 1 x wrapping cloth, 3 x gauze strips, 10 cm x 10 cm, 1 x scalpel no. 11, 1 x four-way high-flow valve, 1 x 2-0 polyester suture with straight needle	5
		x	1 x 5 ml Luer Slip syringe, 1 x closure cap unvented, 1 x three-way high-flow valve	10
	Cath-Gard 80 cm	x	1 x 5 ml Luer Slip syringe, 1 x closure cap unvented, 1 x three-way high-flow valve	10
22 G/3.81 cm 25 G/2.54 cm	Cath-Gard 80 cm with TwistLock Adapter	x	1 x 10 ml syringe (Luer Slip), 1 x 5 ml syringe (Luer Slip), 1 x closure cap unvented, 1 x scalpel no. 11, 3 x four-way high-flow valve, 1 x 2-0 silk suture, straight needle	10
	Cath-Gard 80 cm with TwistLock Adapter	x	1 x pressure transducer, 1 x Arrow-Raulerson syringe 5 ml, 1 x closure cap unvented, 1 x wrapping cloth, 3 x bandages, 10 cm x 10 cm, 1 x four-way high-flow valve	10

<sup>1</sup> XTW = Extra Thin Wall<sup>2</sup> PUR = Polyurethane, FEP = Fluorinated Ethylene Propylene ( a type of Teflon), AGB = Arrowgard Blueantimicrobial technology

## ARROW HANDS-OFF®

REF.	LUMEN	Ø CATHETER	CATHETER (LENGTH)	CATHETER INSERTABLE LENGTH	MATERIAL	QTY
HO-14702	2	7 Fr.	30 cm (12")	23 cm	PUR	5
HO-14703	3	7 Fr.	30 cm (12")	23 cm	PUR	5